

The Catalina 14.2 is the perfect combination of day sailing comfort and racing performance for the active sailing family or couple. Long seats in the cockpit with seat backs, wide side decks and plenty of freeboard help keep the crew dry and comfortable.

Stability and easy handling make the 14.2 an ideal boat to learn in, while the experienced skipper will enjoy the active one design racing class.

The 14.2 is available in two keel designs: Centerboard model with easily retracted centerboard and kick-up rudder for beaching and easy trailer launching. The Keel model with high aspect cast lead keel, and stainless steel keel bolts, for storage on a mooring or dock.

The 14.2 is built of hand-laminated fiberglass with molded-in non skid. Anodized aluminum spars, stainless steel rigging and high quality hardware assure durability.

CATALINA 14.2 Specifications*

LOA	4.32m	14' 2"
Beam	1.88m	6' 2"
Draft (board up)	1.07m (0.10m)	3' 6" (0' 4")
Draft (keel model)	0.61m	2' 0"
Approx. Weight	154kg	340 lb.
(keel model)	258kg	570 lb.
Rated Sail Area	10.59m²	114 sq.ft.



Catalina 14.2

Catalina | Yachts Daysailor | Series

Effective 12.16.00 Not Valid after 5.31.01

Mainsail, White Dacron

Jib, White Dacron

- One Piece Fiberglass Hull, White
- One Piece Fiberglass Deck, White
- Molded-in Non-skid Surface
- Tiller Extension
- Molded-in Waterline Stripe, Midwatch Blue

■ EQUIPMENT LIST & ORDER FORM ■ STANDARD EQUIPMENT AND FEATURES

- Adjustable Hiking Straps
- Fiberglass Centerboard
- Stainless Steel Standing Rigging
- · Dacron Running Rigging
- Forward Storage Compartment
- · Self-Bailing Cockpit

- Flotation
- Adjustable Outhaul
- Fiberglass Beaching Rudder
- Boom Vang, Adjustable
- Barney Post with Ratchet Cam Cleat
- Anodized Mast & Boom
- Cunningham

☐ J1 0142	C 14.2 Standard	d Boat with all S	Standard Equipment and	d Sails	
			OPTION	AL EQUIPMEN	NT .
☐ J1 2980 ☐ J1 3507 ☐ J1 5001 ☐ J1 2207 ☐ J1 2316	Two-Tone Deck, White & Grey in Lieu of Standard		□ J1 3723 □ J1 3724 □ J1 3725 □ J1 3726	Sail and Graphics Color Package (A)	
DDINC	PAL SPECIFICAT	TONE			
LOA	FAL SPECIFICAL	4.32m	14' - 2"		
Beam		1.88m	6' - 2"		
Draft:	Board Up	0.10m	0' - 4"	,	
	Board Down	1.07m	3' - 6"		
Sail Area		10.59m ²	114 sq.ft.		
Approx. I	Basic Weight	258kg	570 lbs		(14.2)
Drawings	may illustrate opt	ional equipmen	t.		
Dealer					
					Deposit \$
.	By		Customor		Bank Finance

*(3) For precise terms of Catalina Yachts Five Year Hull Structure Limited Warranty please refer to Catalina Yachts Limited Warranty booklet.(4) Export models may have different equipment or specifications in order to comply with prevailing regulations.

Catalina 14.2K

Catalina | Yachts Daysailor | Series

Effective 12.16.00 Not Valid after 5.31.01

EQUIPMENT LIST & ORDER FORM STANDARD EQUIPMENT AND FEATURES

- Five Year Gel Coat Blister Protection
- Roller Furling Gear For Jib
- One Piece Fiberglass Deck, White.
- One Piece Fiberglass Hull, White
- Molded-In Waterline Stripe, Midwatch Blue
- Stainless Steel Standing Rigging
- Dacron Running Rigging

- Forward Storage Compartment
- Self-Bailing Cockpit
- Flotation
- Lead Keel with Fiberglass Jacket
- Fiberglass Rudder
- Anodized Aluminum Tiller

- Vinyl Rub Rail
- White Jib for Roller Furling with Sheets
- · White Mainsail with Full Battens
- Boom Vang Pennant
- · Mainsheet with Cam Cleat
- Anodized Mast & Boom
- Custom Hull Graphics

		OPTION	AL EQUIPMEN	
J2 2980	Cover, Boat		AL LQUIPIVILIN	1
J2 3601		ovable, for Mainsail		Trailer, Galvanized with Support Wheel
PRINCIP	PAL SPECIFICATIONS			
LOA	4.32m	14' - 2"		
Beam	1.88m	6' - 2"		
Draft	0.61m	2' - 0"		
Keel	91kg	200 lbs	_	
Sail Area	10.59m ²	114 sq.ft.		
Approx. B	Basic Weight 258kg	570 lbs		
,	All measurements are approxim			
	subject to change without no	otice.	/ 14.2 K	
		/	/ IALK	
		<i></i>		
		/		
		/		
		/		
		/		
				
		/		
		/		
		/		
				∃ \
		/		\
		1		
		1.]
		<u></u>	-d 10	4 \
		1		
			P. (7
		/		
Drawings	may illustrate optional equip	oment.		
aler		Deliver to		P. O. No
				C.O.D
 'e	Bv	Customer		Bank Finance

(4) Export models may have different equipment or specifications in order to comply with prevailing regulations.